Aviation Safety Investigation Report 199700196

Piper Aircraft Corp Seneca

18 January 1997

Aviation Safety Investigation Report 199700196

Readers are advised that the Australian Transport Safety Bureau investigates for the sole purpose of enhancing transport safety. Consequently, Bureau reports are confined to matters of safety significance and may be misleading if used for any other purposes.

Investigations commenced on or before 30 June 2003, including the publication of reports as a result of those investigations, are authorised by the Executive Director of the Bureau in accordance with Part 2A of the Air Navigation Act 1920.

Investigations commenced after 1 July 2003, including the publication of reports as a result of those investigations, are authorised by the Executive Director of the Bureau in accordance with the Transport Safety Investigation Act 2003 (TSI Act). Reports released under the TSI Act are not admissible as evidence in any civil or criminal proceedings.

NOTE: All air safety occurrences reported to the ATSB are categorised and recorded. For a detailed explanation on Category definitions please refer to the ATSB website at www.atsb.gov.au.

199700196

The Bureau did not conduct an on scene investigation of this occurrence. The information presented below was

Occurrence Number: 199700196 Occurrence Type: Accident

Location: Murray Bridge, (ALA)

State: SA Inv Category: 4

Date: Saturday 18 January 1997

obtained from information supplied to the Bureau.

Time: 1030 hours Time Zone CSuT

Highest Injury Level: None

Aircraft Manufacturer: Piper Aircraft Corp

Aircraft Model: PA-34-200T

Aircraft Registration: VH-CGS Serial Number: 34-7570304

Type of Operation: Non-commercial Pleasure/Travel

Damage to Aircraft: Substantial

Departure Point: Murray Bridge SA

Departure Time: 1030 CSuT

Destination: Murray Bridge SA

Crew Details:

	Hours on		
Role	Class of Licence	Type Hou	ırs Total
Pilot-In-Command	Private	330.0	354

Approved for Release: Friday, January 31, 1997

The pilot stated that he had experienced a landing gear retraction problem the previous week which was checked by an LAME but no faults found. On the day of the occurrence he decided to fly a circuit to verify the landing gear operation.

After takeoff the landing gear retracted normally. The pilot continued with the circuit, maintaining separation with an ultralight aircraft also operating in the circuit area.

On the downwind leg the pilot reported the aircraft suffered a radio problem which he attempted to rectify while still maintaining a lookout for the ultralight aircraft. This allowed his attention to be diverted from operating the aircraft and failure to carry out the pre-landing checks, including landing gear extension, resulting in a wheels up landing.